

9. Combination Table

MU5R36

Indoor Unit Operating (Capacity Index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	-	-	-	10	6,000	1.76	10,000	2.93	12,000	3.52	270	541	811
5	7	-	-	-	12	7,200	2.11	12,000	3.52	14,400	4.22	339	679	1,018
5	9	-	-	-	14	8,400	2.46	14,000	4.10	16,800	4.92	415	830	1,245
7	7	-	-	-	14	8,400	2.46	14,000	4.10	16,800	4.92	415	830	1,245
7	9	-	-	-	16	9,600	2.81	16,000	4.69	19,200	5.63	498	997	1,495
5	12	-	-	-	17	10,200	2.99	17,000	4.98	20,400	5.98	543	1,086	1,629
9	9	-	-	-	18	10,800	3.17	18,000	5.28	21,600	6.33	590	1,181	1,771
7	12	-	-	-	19	11,400	3.34	19,000	5.57	22,800	6.68	640	1,280	1,921
5	15	-	-	-	20	12,000	3.52	20,000	5.86	24,000	7.03	693	1,386	2,078
9	12	-	-	-	21	12,600	3.69	21,000	6.15	25,200	7.39	748	1,497	2,245
7	15	-	-	-	22	13,200	3.87	22,000	6.45	26,400	7.74	807	1,615	2,422
5	18	-	-	-	23	13,800	4.04	23,000	6.74	27,600	8.09	857	1,714	2,571
9	15	-	-	-	24	14,400	4.22	24,000	7.03	28,800	8.44	936	1,873	2,809
12	12	-	-	-	24	14,400	4.22	24,000	7.03	28,800	8.44	936	1,873	2,809
7	18	-	-	-	25	15,000	4.40	25,000	7.33	30,000	8.79	988	1,975	2,963
9	18	-	-	-	27	16,200	4.75	27,000	7.91	32,400	9.50	1,164	2,328	3,491
12	15	-	-	-	27	16,200	4.75	27,000	7.91	32,400	9.50	1,164	2,328	3,491
5	24	-	-	-	29	17,400	5.10	29,000	8.50	34,800	10.20	1,318	2,635	3,953
12	18	-	-	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,444	2,889	4,333
15	15	-	-	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,444	2,889	4,333
7	24	-	-	-	31	18,600	5.45	31,000	9.09	37,000	10.84	1,557	3,115	4,609
9	24	-	-	-	33	19,800	5.80	33,000	9.67	37,000	10.84	1,825	3,650	4,609
15	18	-	-	-	33	19,800	5.80	33,000	9.67	37,000	10.84	1,825	3,650	4,609
12	24	-	-	-	36	21,600	6.33	36,000	10.55	37,000	10.84	2,215	4,430	4,609
18	18	-	-	-	36	21,600	6.33	36,000	10.55	37,000	10.84	2,215	4,430	4,609
15	24	-	-	-	39	21,600	6.33	36,000	10.55	37,000	10.84	2,152	4,304	4,609
18	24	-	-	-	42	21,600	6.33	36,000	10.55	37,000	10.84	2,102	4,204	4,609
24	24	-	-	-	48	21,600	6.33	36,000	10.55	37,000	10.84	2,056	4,111	4,609
5	5	5	-	-	15	9,000	2.64	15,000	4.40	18,000	5.28	407	813	1,220
5	5	7	-	-	17	10,200	2.99	17,000	4.98	20,400	5.98	484	968	1,452
5	5	9	-	-	19	11,400	3.34	19,000	5.57	22,800	6.68	570	1,140	1,709
5	7	7	-	-	19	11,400	3.34	19,000	5.57	22,800	6.68	570	1,140	1,709
5	7	9	-	-	21	12,600	3.69	21,000	6.15	25,200	7.39	665	1,330	1,995
7	7	7	-	-	21	12,600	3.69	21,000	6.15	25,200	7.39	665	1,330	1,995
5	5	12	-	-	22	13,200	3.87	22,000	6.45	26,400	7.74	717	1,434	2,151
5	9	9	-	-	23	13,800	4.04	23,000	6.74	27,600	8.09	772	1,543	2,315
7	7	9	-	-	23	13,800	4.04	23,000	6.74	27,600	8.09	772	1,543	2,315
5	7	12	-	-	24	14,400	4.22	24,000	7.03	28,800	8.44	830	1,660	2,490
5	5	15	-	-	25	15,000	4.40	25,000	7.33	30,000	8.79	892	1,784	2,676
7	9	9	-	-	25	15,000	4.40	25,000	7.33	30,000	8.79	892	1,784	2,676
5	9	12	-	-	26	15,600	4.57	26,000	7.62	31,200	9.14	958	1,916	2,873
7	7	12	-	-	26	15,600	4.57	26,000	7.62	31,200	9.14	958	1,916	2,873
5	7	15	-	-	27	16,200	4.75	27,000	7.91	32,400	9.50	1,028	2,056	3,085
9	9	9	-	-	27	16,200	4.75	27,000	7.91	32,400	9.50	1,028	2,056	3,085
5	5	18	-	-	28	16,800	4.92	28,000	8.21	33,600	9.85	1,104	2,207	3,311
7	9	12	-	-	28	16,800	4.92	28,000	8.21	33,600	9.85	1,104	2,207	3,311
5	9	15	-	-	29	17,400	5.10	29,000	8.50	34,800	10.20	1,184	2,369	3,553
5	12	12	-	-	29	17,400	5.10	29,000	8.50	34,800	10.20	1,184	2,369	3,553
7	7	15	-	-	29	17,400	5.10	29,000	8.50	34,800	10.20	1,184	2,369	3,553
5	7	18	-	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,252	2,505	3,757

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
9	9	12	-	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,271	2,542	3,813
7	9	15	-	-	31	18,600	5.45	31,000	9.09	37,200	10.90	1,365	2,729	4,094
7	12	12	-	-	31	18,600	5.45	31,000	9.09	37,200	10.90	1,365	2,729	4,094
5	12	15	-	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,463	2,927	4,390
5	9	18	-	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,463	2,927	4,390
7	7	18	-	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,463	2,927	4,390
9	9	15	-	-	33	19,800	5.80	33,000	9.67	39,600	11.61	1,570	3,140	4,609
9	12	12	-	-	33	19,800	5.80	33,000	9.67	39,600	11.61	1,570	3,140	4,609
5	5	24	-	-	34	20,400	5.98	34,000	9.96	39,600	11.61	1,686	3,371	4,609
7	9	18	-	-	34	20,400	5.98	34,000	9.96	39,600	11.61	1,686	3,371	4,609
7	12	15	-	-	34	20,400	5.98	34,000	9.96	39,600	11.61	1,686	3,371	4,609
5	12	18	-	-	35	21,000	6.15	35,000	10.26	39,600	11.61	1,812	3,623	4,609
5	15	15	-	-	35	21,000	6.15	35,000	10.26	39,600	11.61	1,812	3,623	4,609
5	7	24	-	-	36	21,600	6.33	36,000	10.55	39,600	11.61	1,949	3,898	4,609
9	12	15	-	-	36	21,600	6.33	36,000	10.55	39,600	11.61	1,949	3,898	4,609
12	12	12	-	-	36	21,600	6.33	36,000	10.55	39,600	11.61	1,949	3,898	4,609
9	9	18	-	-	36	21,600	6.33	36,000	10.55	39,600	11.61	1,949	3,898	4,609
7	12	18	-	-	37	21,600	6.33	36,000	10.55	39,600	11.61	1,914	3,829	4,609
7	15	15	-	-	37	21,600	6.33	36,000	10.55	39,600	11.61	1,943	3,886	4,609
5	9	24	-	-	38	21,600	6.33	36,000	10.55	39,600	11.61	1,899	3,799	4,609
5	15	18	-	-	38	21,600	6.33	36,000	10.55	39,600	11.61	1,909	3,817	4,609
7	7	24	-	-	38	21,600	6.33	36,000	10.55	39,600	11.61	1,899	3,799	4,609
9	12	18	-	-	39	21,600	6.33	36,000	10.55	39,600	11.61	1,903	3,806	4,609
9	15	15	-	-	39	21,600	6.33	36,000	10.55	39,600	11.61	1,932	3,863	4,609
12	12	15	-	-	39	21,600	6.33	36,000	10.55	39,600	11.61	1,932	3,863	4,609
7	9	24	-	-	40	21,600	6.33	36,000	10.55	39,600	11.61	1,888	3,776	4,609
7	15	18	-	-	40	21,600	6.33	36,000	10.55	39,600	11.61	1,897	3,795	4,609
5	12	24	-	-	41	21,600	6.33	36,000	10.55	39,600	11.61	1,883	3,765	4,609
5	18	18	-	-	41	21,600	6.33	36,000	10.55	39,600	11.61	1,864	3,729	4,609
9	9	24	-	-	42	21,600	6.33	36,000	10.55	39,600	11.61	1,877	3,754	4,609
9	15	18	-	-	42	21,600	6.33	36,000	10.55	39,600	11.61	1,886	3,772	4,609
12	12	18	-	-	42	21,600	6.33	36,000	10.55	39,600	11.61	1,886	3,772	4,609
12	15	15	-	-	42	21,600	6.33	36,000	10.55	39,600	11.61	1,915	3,829	4,609
7	12	24	-	-	43	21,600	6.33	36,000	10.55	39,600	11.61	1,871	3,743	4,609
7	18	18	-	-	43	21,600	6.33	36,000	10.55	39,600	11.61	1,853	3,707	4,609
5	15	24	-	-	44	21,600	6.33	36,000	10.55	39,600	11.61	1,866	3,732	4,609
9	12	24	-	-	45	21,600	6.33	36,000	10.55	39,600	11.61	1,861	3,721	4,609
9	18	18	-	-	45	21,600	6.33	36,000	10.55	39,600	11.61	1,842	3,685	4,609
12	15	18	-	-	45	21,600	6.33	36,000	10.55	39,600	11.61	1,870	3,739	4,609
15	15	15	-	-	45	21,600	6.33	36,000	10.55	39,600	11.61	1,898	3,796	4,609
7	15	24	-	-	46	21,600	6.33	36,000	10.55	39,600	11.61	1,855	3,710	4,609
5	18	24	-	-	47	21,600	6.33	36,000	10.55	39,600	11.61	1,823	3,646	4,609
9	15	24	-	-	48	21,600	6.33	36,000	10.55	39,600	11.61	1,844	3,689	4,609
12	12	24	-	-	48	21,600	6.33	36,000	10.55	39,600	11.61	1,844	3,689	4,609
12	18	18	-	-	48	21,600	6.33	36,000	10.55	39,600	11.61	1,826	3,653	4,609
15	15	18	-	-	48	21,600	6.33	36,000	10.55	39,600	11.61	1,853	3,707	4,609
7	18	24	-	-	49	21,600	6.33	36,000	10.55	39,600	11.61	1,812	3,625	4,609
9	18	24	-	-	51	21,600	6.33	36,000	10.55	39,600	11.61	1,802	3,604	4,609
12	15	24	-	-	51	21,600	6.33	36,000	10.55	39,600	11.61	1,828	3,657	4,609
15	18	18	-	-	51	21,600	6.33	36,000	10.55	39,600	11.61	1,811	3,621	4,609
5	24	24	-	-	53	21,600	6.33	36,000	10.55	39,600	11.61	1,783	3,566	4,609

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
12	18	24	-	-	54	21,600	6.33	36,000	10.55	39,600	11.61	1,787	3,573	4,609
15	15	24	-	-	54	21,600	6.33	36,000	10.55	39,600	11.61	1,813	3,626	4,609
18	18	18	-	-	54	21,600	6.33	36,000	10.55	39,600	11.61	1,770	3,539	4,609
7	24	24	-	-	55	21,600	6.33	36,000	10.55	39,600	11.61	1,773	3,546	4,609
9	24	24	-	-	57	21,600	6.33	36,000	10.55	39,600	11.61	1,763	3,526	4,609
15	18	24	-	-	57	21,600	6.33	36,000	10.55	39,600	11.61	1,771	3,543	4,609
5	5	5	5	-	20	12,000	3.52	20,000	5.86	24,000	7.03	567	1,134	1,701
5	5	5	7	-	22	13,200	3.87	22,000	6.45	26,400	7.74	660	1,319	1,979
5	5	5	9	-	24	14,400	4.22	24,000	7.03	28,800	8.44	764	1,527	2,291
5	5	7	7	-	24	14,400	4.22	24,000	7.03	28,800	8.44	764	1,527	2,291
5	5	7	9	-	26	15,600	4.57	26,000	7.62	31,200	9.14	881	1,762	2,644
5	7	7	7	-	26	15,600	4.57	26,000	7.62	31,200	9.14	881	1,762	2,644
5	5	5	12	-	27	16,200	4.75	27,000	7.91	32,400	9.50	946	1,892	2,838
5	5	9	9	-	28	16,800	4.92	28,000	8.21	33,600	9.85	1,015	2,030	3,046
5	7	7	9	-	28	16,800	4.92	28,000	8.21	33,600	9.85	1,015	2,030	3,046
7	7	7	7	-	28	16,800	4.92	28,000	8.21	33,600	9.85	1,015	2,030	3,046
5	5	7	12	-	29	17,400	5.10	29,000	8.50	34,800	10.20	1,090	2,179	3,269
5	5	5	15	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,169	2,339	3,508
5	7	9	9	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,169	2,339	3,508
7	7	7	9	-	30	18,000	5.28	30,000	8.79	36,000	10.55	1,169	2,339	3,508
5	5	9	12	-	31	18,600	5.45	31,000	9.09	37,200	10.90	1,256	2,511	3,767
5	7	7	12	-	31	18,600	5.45	31,000	9.09	37,200	10.90	1,256	2,511	3,767
5	5	7	15	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,346	2,692	4,037
5	9	9	9	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,346	2,692	4,037
7	7	9	9	-	32	19,200	5.63	32,000	9.38	38,400	11.25	1,346	2,692	4,037
5	5	5	18	-	33	19,800	5.80	33,000	9.67	39,600	11.61	1,444	2,888	4,332
5	7	9	12	-	33	19,800	5.80	33,000	9.67	39,600	11.61	1,444	2,888	4,332
7	7	7	12	-	33	19,800	5.80	33,000	9.67	39,600	11.61	1,444	2,888	4,332
5	5	9	15	-	34	20,400	5.98	34,000	9.96	40,000	11.72	1,551	3,101	4,361
5	5	12	12	-	34	20,400	5.98	34,000	9.96	40,000	11.72	1,551	3,101	4,361
5	7	7	15	-	34	20,400	5.98	34,000	9.96	40,000	11.72	1,551	3,101	4,361
7	9	9	9	-	34	20,400	5.98	34,000	9.96	40,000	11.72	1,551	3,101	4,361
5	5	7	18	-	35	21,000	6.15	35,000	10.26	40,000	11.72	1,666	3,333	4,361
5	9	9	12	-	35	21,000	6.15	35,000	10.26	40,000	11.72	1,666	3,333	4,361
7	7	9	12	-	35	21,000	6.15	35,000	10.26	40,000	11.72	1,666	3,333	4,361
5	7	9	15	-	36	21,600	6.33	36,000	10.55	40,000	11.72	1,793	3,586	4,361
5	7	12	12	-	36	21,600	6.33	36,000	10.55	40,000	11.72	1,793	3,586	4,361
7	7	7	15	-	36	21,600	6.33	36,000	10.55	40,000	11.72	1,793	3,586	4,361
9	9	9	9	-	36	21,600	6.33	36,000	10.55	40,000	11.72	1,793	3,586	4,361
5	5	9	18	-	37	21,600	6.33	36,000	10.55	40,000	11.72	1,761	3,523	4,361
5	5	12	15	-	37	21,600	6.33	36,000	10.55	40,000	11.72	1,788	3,575	4,361
5	7	7	18	-	37	21,600	6.33	36,000	10.55	40,000	11.72	1,761	3,523	4,361
7	9	9	12	-	37	21,600	6.33	36,000	10.55	40,000	11.72	1,788	3,575	4,361
5	9	9	15	-	38	21,600	6.33	36,000	10.55	40,000	11.72	1,782	3,565	4,361
5	9	12	12	-	38	21,600	6.33	36,000	10.55	40,000	11.72	1,782	3,565	4,361
7	7	9	15	-	38	21,600	6.33	36,000	10.55	40,000	11.72	1,782	3,565	4,361
7	7	12	12	-	38	21,600	6.33	36,000	10.55	40,000	11.72	1,782	3,565	4,361
5	5	5	24	-	39	21,600	6.33	36,000	10.55	40,000	11.72	1,742	3,484	4,361
5	7	9	18	-	39	21,600	6.33	36,000	10.55	40,000	11.72	1,751	3,502	4,361
5	7	12	15	-	39	21,600	6.33	36,000	10.55	40,000	11.72	1,777	3,554	4,361
9	9	9	12	-	39	21,600	6.33	36,000	10.55	40,000	11.72	1,777	3,554	4,361

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	7	18	-	39	21,600	6.33	36,000	10.55	40,000	11.72	1,751	3,502	4,361
5	5	12	18	-	40	21,600	6.33	36,000	10.55	40,000	11.72	1,746	3,491	4,361
5	5	15	15	-	40	21,600	6.33	36,000	10.55	40,000	11.72	1,772	3,544	4,361
7	9	9	15	-	40	21,600	6.33	36,000	10.55	40,000	11.72	1,772	3,544	4,361
7	9	12	12	-	40	21,600	6.33	36,000	10.55	40,000	11.72	1,772	3,544	4,361
5	5	7	24	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,732	3,464	4,361
5	9	9	18	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,740	3,481	4,361
5	9	12	15	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,767	3,533	4,361
5	12	12	12	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,767	3,533	4,361
7	7	12	15	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,767	3,533	4,361
7	7	9	18	-	41	21,600	6.33	36,000	10.55	40,000	11.72	1,740	3,481	4,361
5	7	12	18	-	42	21,600	6.33	36,000	10.55	40,000	11.72	1,735	3,471	4,361
5	7	15	15	-	42	21,600	6.33	36,000	10.55	40,000	11.72	1,761	3,523	4,361
9	9	9	15	-	42	21,600	6.33	36,000	10.55	40,000	11.72	1,761	3,523	4,361
5	9	12	12	-	42	21,600	6.33	36,000	10.55	40,000	11.72	1,761	3,523	4,361
5	5	9	24	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,722	3,444	4,361
5	5	15	18	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,730	3,460	4,361
5	7	7	24	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,722	3,444	4,361
7	9	9	18	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,730	3,460	4,361
7	9	12	15	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,756	3,512	4,361
7	12	12	12	-	43	21,600	6.33	36,000	10.55	40,000	11.72	1,756	3,512	4,361
5	9	12	18	-	44	21,600	6.33	36,000	10.55	40,000	11.72	1,725	3,450	4,361
5	9	15	15	-	44	21,600	6.33	36,000	10.55	40,000	11.72	1,751	3,502	4,361
5	12	12	15	-	44	21,600	6.33	36,000	10.55	40,000	11.72	1,751	3,502	4,361
7	7	12	18	-	44	21,600	6.33	36,000	10.55	40,000	11.72	1,725	3,450	4,361
7	7	15	15	-	44	21,600	6.33	36,000	10.55	40,000	11.72	1,751	3,502	4,361
5	7	9	24	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,712	3,423	4,361
5	7	15	18	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,720	3,440	4,361
7	7	7	24	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,712	3,423	4,361
9	9	9	18	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,720	3,440	4,361
9	9	12	15	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,746	3,492	4,361
9	12	12	12	-	45	21,600	6.33	36,000	10.55	40,000	11.72	1,746	3,492	4,361
5	5	12	24	-	46	21,600	6.33	36,000	10.55	40,000	11.72	1,707	3,413	4,361
5	5	18	18	-	46	21,600	6.33	36,000	10.55	40,000	11.72	1,690	3,380	4,361
7	9	12	18	-	46	21,600	6.33	36,000	10.55	40,000	11.72	1,715	3,430	4,361
7	9	15	15	-	46	21,600	6.33	36,000	10.55	40,000	11.72	1,741	3,482	4,361
7	12	12	15	-	46	21,600	6.33	36,000	10.55	40,000	11.72	1,741	3,482	4,361
5	9	9	24	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,702	3,404	4,361
5	9	15	18	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,710	3,420	4,361
5	12	12	18	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,710	3,420	4,361
5	12	15	15	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,736	3,472	4,361
7	7	9	24	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,702	3,404	4,361
7	7	15	18	-	47	21,600	6.33	36,000	10.55	40,000	11.72	1,710	3,420	4,361
5	7	12	24	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,697	3,394	4,361
5	7	18	18	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,680	3,361	4,361
9	9	12	18	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,705	3,410	4,361
9	9	15	15	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,731	3,462	4,361
9	12	12	15	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,731	3,462	4,361
12	12	12	12	-	48	21,600	6.33	36,000	10.55	40,000	11.72	1,731	3,462	4,361
5	5	15	24	-	49	21,600	6.33	36,000	10.55	40,000	11.72	1,692	3,384	4,361
7	9	9	24	-	49	21,600	6.33	36,000	10.55	40,000	11.72	1,692	3,384	4,361

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	9	15	18	-	49	21,600	6.33	36,000	10.55	40,000	11.72	1,700	3,401	4,361
7	12	12	18	-	49	21,600	6.33	36,000	10.55	40,000	11.72	1,700	3,401	4,361
7	12	15	15	-	49	21,600	6.33	36,000	10.55	40,000	11.72	1,726	3,452	4,361
5	9	12	24	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,687	3,374	4,361
5	9	18	18	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,341	4,361
5	12	15	18	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,695	3,391	4,361
5	15	15	15	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,721	3,442	4,361
7	7	12	24	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,687	3,374	4,361
7	7	18	18	-	50	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,341	4,361
5	7	15	24	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,682	3,364	4,361
9	9	9	24	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,682	3,364	4,361
9	9	15	18	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,691	3,381	4,361
9	12	12	18	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,691	3,381	4,361
9	12	15	15	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,361
12	12	12	15	-	51	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,361
5	5	18	24	-	52	21,600	6.33	36,000	10.55	40,000	11.72	1,653	3,306	4,361
7	9	12	24	-	52	21,600	6.33	36,000	10.55	40,000	11.72	1,677	3,355	4,361
7	9	18	18	-	52	21,600	6.33	36,000	10.55	40,000	11.72	1,661	3,322	4,361
7	12	15	18	-	52	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,371	4,361
7	15	15	15	-	52	21,600	6.33	36,000	10.55	40,000	11.72	1,711	3,422	4,361
5	9	15	24	-	53	21,600	6.33	36,000	10.55	40,000	11.72	1,673	3,345	4,361
5	12	12	24	-	53	21,600	6.33	36,000	10.55	40,000	11.72	1,673	3,345	4,361
5	12	18	18	-	53	21,600	6.33	36,000	10.55	40,000	11.72	1,656	3,313	4,361
5	15	15	18	-	53	21,600	6.33	36,000	10.55	40,000	11.72	1,681	3,362	4,361
7	7	15	24	-	53	21,600	6.33	36,000	10.55	40,000	11.72	1,673	3,345	4,361
5	7	18	24	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,644	3,287	4,361
9	9	12	24	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,668	3,336	4,361
9	9	18	18	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,652	3,303	4,361
9	12	15	18	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,361
9	15	15	15	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,701	3,402	4,361
12	12	12	18	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,361
12	12	15	15	-	54	21,600	6.33	36,000	10.55	40,000	11.72	1,701	3,402	4,361
7	9	15	24	-	55	21,600	6.33	36,000	10.55	40,000	11.72	1,663	3,326	4,361
7	12	12	24	-	55	21,600	6.33	36,000	10.55	40,000	11.72	1,663	3,326	4,361
7	12	18	18	-	55	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,361
7	15	15	18	-	55	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,343	4,361
5	9	18	24	-	56	21,600	6.33	36,000	10.55	40,000	11.72	1,634	3,269	4,361
5	12	15	24	-	56	21,600	6.33	36,000	10.55	40,000	11.72	1,658	3,317	4,361
5	15	18	18	-	56	21,600	6.33	36,000	10.55	40,000	11.72	1,642	3,285	4,361
7	7	18	24	-	56	21,600	6.33	36,000	10.55	40,000	11.72	1,634	3,269	4,361
9	9	15	24	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,654	3,307	4,361
9	12	12	24	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,654	3,307	4,361
9	12	18	18	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,275	4,361
9	15	15	18	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,324	4,361
12	12	15	18	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,324	4,361
12	15	15	15	-	57	21,600	6.33	36,000	10.55	40,000	11.72	1,687	3,374	4,361
5	5	5	5	5	25	15,000	4.40	25,000	7.33	30,000	8.79	788	1,575	2,363
5	5	5	5	7	27	16,200	4.75	27,000	7.91	32,400	9.50	908	1,816	2,724
5	5	5	5	9	29	17,400	5.10	29,000	8.50	34,800	10.20	1,046	2,092	3,138
5	5	5	7	7	29	17,400	5.10	29,000	8.50	34,800	10.20	1,046	2,092	3,138
5	5	5	7	9	31	18,600	5.45	31,000	9.09	37,200	10.90	1,205	2,411	3,616

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	7	7	7	31	18,600	5.45	31,000	9.09	37,200	10.90	1,205	2,411	3,616
5	5	5	5	12	32	19,200	5.63	32,000	9.38	38,400	11.25	1,292	2,585	3,877
5	5	5	9	9	33	19,800	5.80	33,000	9.67	39,600	11.61	1,387	2,773	4,160
5	5	7	7	9	33	19,800	5.80	33,000	9.67	39,600	11.61	1,387	2,773	4,160
5	7	7	7	7	33	19,800	5.80	33,000	9.67	39,600	11.61	1,387	2,773	4,160
5	5	5	7	12	34	20,400	5.98	34,000	9.96	40,000	11.72	1,489	2,978	4,205
5	5	5	5	15	35	21,000	6.15	35,000	10.26	40,000	11.72	1,600	3,200	4,205
5	5	7	9	9	35	21,000	6.15	35,000	10.26	40,000	11.72	1,600	3,200	4,205
5	7	7	7	9	35	21,000	6.15	35,000	10.26	40,000	11.72	1,600	3,200	4,205
7	7	7	7	7	35	21,600	6.33	36,000	10.55	40,000	11.72	1,600	3,200	4,205
5	5	5	9	12	36	21,600	6.33	36,000	10.55	40,000	11.72	1,721	3,443	4,205
5	5	7	7	12	36	21,600	6.33	36,000	10.55	40,000	11.72	1,721	3,443	4,205
5	5	5	7	15	37	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,205
5	5	9	9	9	37	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,205
5	7	7	9	9	37	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,205
7	7	7	7	9	37	21,600	6.33	36,000	10.55	40,000	11.72	1,716	3,432	4,205
5	5	5	5	18	38	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
5	5	7	9	12	38	21,600	6.33	36,000	10.55	40,000	11.72	1,711	3,422	4,205
5	7	7	7	12	38	21,600	6.33	36,000	10.55	40,000	11.72	1,711	3,422	4,205
5	5	5	9	15	39	21,600	6.33	36,000	10.55	40,000	11.72	1,706	3,412	4,205
5	5	5	12	12	39	21,600	6.33	36,000	10.55	40,000	11.72	1,706	3,412	4,205
5	5	7	7	15	39	21,600	6.33	36,000	10.55	40,000	11.72	1,706	3,412	4,205
5	7	9	9	9	39	21,600	6.33	36,000	10.55	40,000	11.72	1,706	3,412	4,205
7	7	7	9	9	39	21,600	6.33	36,000	10.55	40,000	11.72	1,706	3,412	4,205
5	5	5	7	18	40	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
5	5	9	9	12	40	21,600	6.33	36,000	10.55	40,000	11.72	1,701	3,402	4,205
5	7	7	9	12	40	21,600	6.33	36,000	10.55	40,000	11.72	1,701	3,402	4,205
7	7	7	7	12	40	21,600	6.33	36,000	10.55	40,000	11.72	1,701	3,402	4,205
5	5	7	9	15	41	21,600	6.33	36,000	10.55	40,000	11.72	1,696	3,392	4,205
5	5	7	12	12	41	21,600	6.33	36,000	10.55	40,000	11.72	1,696	3,392	4,205
5	7	7	7	15	41	21,600	6.33	36,000	10.55	40,000	11.72	1,696	3,392	4,205
5	9	9	9	9	41	21,600	6.33	36,000	10.55	40,000	11.72	1,696	3,392	4,205
7	7	9	9	9	41	21,600	6.33	36,000	10.55	40,000	11.72	1,696	3,392	4,205
5	5	5	9	18	42	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,332	4,205
5	5	5	12	15	42	21,600	6.33	36,000	10.55	40,000	11.72	1,691	3,382	4,205
5	5	7	7	18	42	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,332	4,205
5	7	9	9	12	42	21,600	6.33	36,000	10.55	40,000	11.72	1,691	3,382	4,205
7	7	7	9	12	42	21,600	6.33	36,000	10.55	40,000	11.72	1,691	3,382	4,205
5	5	9	12	12	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
5	5	9	9	15	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
5	7	7	9	15	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
5	7	7	12	12	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
7	7	7	7	15	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
7	9	9	9	9	43	21,600	6.33	36,000	10.55	40,000	11.72	1,686	3,372	4,205
5	5	5	5	24	44	21,600	6.33	36,000	10.55	40,000	11.72	1,648	3,296	4,205
5	5	7	9	18	44	21,600	6.33	36,000	10.55	40,000	11.72	1,656	3,312	4,205
5	5	7	12	15	44	21,600	6.33	36,000	10.55	40,000	11.72	1,681	3,362	4,205
5	7	7	7	18	44	21,600	6.33	36,000	10.55	40,000	11.72	1,656	3,312	4,205
5	9	9	9	12	44	21,600	6.33	36,000	10.55	40,000	11.72	1,681	3,362	4,205
7	7	9	9	12	44	21,600	6.33	36,000	10.55	40,000	11.72	1,681	3,362	4,205
5	5	5	12	18	45	21,600	6.33	36,000	10.55	40,000	11.72	1,651	3,303	4,205

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	5	15	15	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
5	7	9	9	15	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
5	7	9	12	12	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
7	7	7	9	15	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
7	7	7	12	12	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
9	9	9	9	9	45	21,600	6.33	36,000	10.55	40,000	11.72	1,676	3,352	4,205
5	5	9	12	15	46	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,342	4,205
5	5	9	12	15	46	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,342	4,205
5	5	5	7	24	46	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,277	4,205
5	5	9	9	18	46	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,293	4,205
5	5	12	12	12	46	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,342	4,205
5	7	7	9	18	46	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,293	4,205
5	7	7	12	15	46	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,342	4,205
7	7	7	7	18	46	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,293	4,205
7	9	9	9	12	46	21,600	6.33	36,000	10.55	40,000	11.72	1,671	3,342	4,205
5	5	7	12	18	47	21,600	6.33	36,000	10.55	40,000	11.72	1,642	3,283	4,205
5	5	7	15	15	47	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,333	4,205
5	9	9	9	15	47	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,333	4,205
9	9	9	12	12	47	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,333	4,205
7	7	9	9	15	47	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,333	4,205
7	7	9	12	12	47	21,600	6.33	36,000	10.55	40,000	11.72	1,666	3,333	4,205
5	5	5	9	24	48	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,258	4,205
5	5	5	15	18	48	21,600	6.33	36,000	10.55	40,000	11.72	1,637	3,274	4,205
5	5	7	7	24	48	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,258	4,205
5	7	9	9	18	48	21,600	6.33	36,000	10.55	40,000	11.72	1,637	3,274	4,205
5	7	9	12	15	48	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,323	4,205
5	7	12	12	12	48	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,323	4,205
7	7	7	9	18	48	21,600	6.33	36,000	10.55	40,000	11.72	1,637	3,274	4,205
7	7	7	12	15	48	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,323	4,205
9	9	9	9	12	48	21,600	6.33	36,000	10.55	40,000	11.72	1,662	3,323	4,205
5	5	9	12	18	49	21,600	6.33	36,000	10.55	40,000	11.72	1,632	3,265	4,205
5	5	9	15	15	49	21,600	6.33	36,000	10.55	40,000	11.72	1,657	3,313	4,205
5	5	12	12	15	49	21,600	6.33	36,000	10.55	40,000	11.72	1,657	3,313	4,205
5	7	7	12	18	49	21,600	6.33	36,000	10.55	40,000	11.72	1,632	3,265	4,205
5	7	7	15	15	49	21,600	6.33	36,000	10.55	40,000	11.72	1,657	3,313	4,205
7	9	9	9	15	49	21,600	6.33	36,000	10.55	40,000	11.72	1,657	3,313	4,205
7	9	9	12	12	49	21,600	6.33	36,000	10.55	40,000	11.72	1,657	3,313	4,205
5	5	7	9	24	50	21,600	6.33	36,000	10.55	40,000	11.72	1,620	3,239	4,205
5	5	7	15	18	50	21,600	6.33	36,000	10.55	40,000	11.72	1,628	3,255	4,205
5	7	7	7	24	50	21,600	6.33	36,000	10.55	40,000	11.72	1,620	3,239	4,205
5	9	9	9	18	50	21,600	6.33	36,000	10.55	40,000	11.72	1,628	3,255	4,205
5	9	9	12	15	50	21,600	6.33	36,000	10.55	40,000	11.72	1,652	3,304	4,205
5	9	12	12	12	50	21,600	6.33	36,000	10.55	40,000	11.72	1,652	3,304	4,205
7	7	9	9	18	50	21,600	6.33	36,000	10.55	40,000	11.72	1,628	3,255	4,205
7	7	9	12	15	50	21,600	6.33	36,000	10.55	40,000	11.72	1,652	3,304	4,205
7	7	12	12	12	50	21,600	6.33	36,000	10.55	40,000	11.72	1,652	3,304	4,205
5	5	5	12	24	51	21,600	6.33	36,000	10.55	40,000	11.72	1,615	3,230	4,205
5	5	5	18	18	51	21,600	6.33	36,000	10.55	40,000	11.72	1,599	3,198	4,205
5	7	9	12	18	51	21,600	6.33	36,000	10.55	40,000	11.72	1,623	3,246	4,205
5	7	9	15	15	51	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,205
5	7	12	15	15	51	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,205

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	7	12	18	51	21,600	6.33	36,000	10.55	40,000	11.72	1,623	3,246	4,205
7	7	7	15	15	51	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,205
9	9	9	9	15	51	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,205
9	9	9	12	12	51	21,600	6.33	36,000	10.55	40,000	11.72	1,647	3,294	4,205
5	5	9	9	24	52	21,600	6.33	36,000	10.55	40,000	11.72	1,610	3,221	4,205
5	5	9	15	18	52	21,600	6.33	36,000	10.55	40,000	11.72	1,618	3,236	4,205
5	5	12	12	18	52	21,600	6.33	36,000	10.55	40,000	11.72	1,618	3,236	4,205
5	5	12	15	15	52	21,600	6.33	36,000	10.55	40,000	11.72	1,643	3,285	4,205
5	7	7	9	24	52	21,600	6.33	36,000	10.55	40,000	11.72	1,610	3,221	4,205
5	7	7	15	18	52	21,600	6.33	36,000	10.55	40,000	11.72	1,618	3,236	4,205
7	7	7	7	24	52	21,600	6.33	36,000	10.55	40,000	11.72	1,610	3,221	4,205
7	9	9	9	18	52	21,600	6.33	36,000	10.55	40,000	11.72	1,618	3,236	4,205
7	9	9	12	15	52	21,600	6.33	36,000	10.55	40,000	11.72	1,643	3,285	4,205
7	9	12	12	12	52	21,600	6.33	36,000	10.55	40,000	11.72	1,643	3,285	4,205
5	5	7	12	24	53	21,600	6.33	36,000	10.55	40,000	11.72	1,606	3,211	4,205
5	5	7	18	18	53	21,600	6.33	36,000	10.55	40,000	11.72	1,590	3,180	4,205
5	9	9	12	18	53	21,600	6.33	36,000	10.55	40,000	11.72	1,614	3,227	4,205
5	9	9	15	15	53	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,276	4,205
5	9	12	12	15	53	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,276	4,205
5	12	12	12	12	53	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,276	4,205
7	7	9	12	18	53	21,600	6.33	36,000	10.55	40,000	11.72	1,614	3,227	4,205
7	7	9	15	15	53	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,276	4,205
7	7	12	12	15	53	21,600	6.33	36,000	10.55	40,000	11.72	1,638	3,276	4,205
5	5	5	15	24	54	21,600	6.33	36,000	10.55	40,000	11.72	1,601	3,202	4,205
5	7	9	9	24	54	21,600	6.33	36,000	10.55	40,000	11.72	1,601	3,202	4,205
5	7	9	15	18	54	21,600	6.33	36,000	10.55	40,000	11.72	1,609	3,218	4,205
5	7	12	12	18	54	21,600	6.33	36,000	10.55	40,000	11.72	1,609	3,218	4,205
5	7	12	15	15	54	21,600	6.33	36,000	10.55	40,000	11.72	1,633	3,266	4,205
7	7	7	9	24	54	21,600	6.33	36,000	10.55	40,000	11.72	1,601	3,202	4,205
7	7	7	15	18	54	21,600	6.33	36,000	10.55	40,000	11.72	1,609	3,218	4,205
9	9	9	9	18	54	21,600	6.33	36,000	10.55	40,000	11.72	1,609	3,218	4,205
9	9	9	12	15	54	21,600	6.33	36,000	10.55	40,000	11.72	1,633	3,266	4,205
9	9	12	12	12	54	21,600	6.33	36,000	10.55	40,000	11.72	1,633	3,266	4,205
5	5	9	12	24	55	21,600	6.33	36,000	10.55	40,000	11.72	1,597	3,193	4,205
5	5	9	18	18	55	21,600	6.33	36,000	10.55	40,000	11.72	1,581	3,162	4,205
5	5	12	15	18	55	21,600	6.33	36,000	10.55	40,000	11.72	1,604	3,209	4,205
5	5	15	15	15	55	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,257	4,205
5	7	7	12	24	55	21,600	6.33	36,000	10.55	40,000	11.72	1,597	3,193	4,205
5	7	7	18	18	55	21,600	6.33	36,000	10.55	40,000	11.72	1,581	3,162	4,205
7	9	9	12	18	55	21,600	6.33	36,000	10.55	40,000	11.72	1,604	3,209	4,205
7	9	9	15	15	55	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,257	4,205
7	9	12	12	15	55	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,257	4,205
7	12	12	12	12	55	21,600	6.33	36,000	10.55	40,000	11.72	1,629	3,257	4,205
5	5	7	15	24	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
5	9	9	9	24	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
5	9	9	15	18	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
5	9	12	12	18	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
5	9	12	15	15	56	21,600	6.33	36,000	10.55	40,000	11.72	1,624	3,248	4,205
5	12	12	12	15	56	21,600	6.33	36,000	10.55	40,000	11.72	1,624	3,248	4,205
7	7	9	9	24	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
7	7	9	15	18	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	12	12	18	56	21,600	6.33	36,000	10.55	40,000	11.72	1,592	3,184	4,205
5	5	5	18	24	57	21,600	6.33	36,000	10.55	40,000	11.72	1,565	3,129	4,205
5	7	9	12	24	57	21,600	6.33	36,000	10.55	40,000	11.72	1,588	3,175	4,205
5	7	9	18	18	57	21,600	6.33	36,000	10.55	40,000	11.72	1,572	3,144	4,205
5	7	12	15	18	57	21,600	6.33	36,000	10.55	40,000	11.72	1,595	3,191	4,205
5	7	15	15	15	57	21,600	6.33	36,000	10.55	40,000	11.72	1,619	3,239	4,205
7	7	7	12	24	57	21,600	6.33	36,000	10.55	40,000	11.72	1,588	3,175	4,205
7	7	7	18	18	57	21,600	6.33	36,000	10.55	40,000	11.72	1,572	3,144	4,205
9	9	9	12	18	57	21,600	6.33	36,000	10.55	40,000	11.72	1,595	3,191	4,205
9	9	9	15	15	57	21,600	6.33	36,000	10.55	40,000	11.72	1,619	3,239	4,205
9	9	12	12	15	57	21,600	6.33	36,000	10.55	40,000	11.72	1,619	3,239	4,205
9	12	12	12	12	57	21,600	6.33	36,000	10.55	40,000	11.72	1,619	3,239	4,205

Note

- Capacities are based on the following conditions :
 - Cooling : Indoor Ambient Temp. 27°CDB / 19°CWB, Outdoor Ambient Temp. 35°CDB / 24°CWB
 - Heating : Indoor Ambient Temp. 20°CDB / 15°CWB, Outdoor Ambient Temp. 7°CDB / 6°CWB
 - Interconnected piping is standard length and difference of Elevation (Outdoor ~ Indoor Unit) is 0 m.
- At least two indoor units should be connected. And minimum limit of combination ratio is 40% approximately for rated capacity of outdoor unit.
- Don't exceed the maximum connectable indoor units number, it can be found in Specifications or combination table of outdoor unit model.

9. Combination Table

MU5R36

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	-	-	-	10	6,900	2.02	11,500	3.37	13,225	3.88	258	516	748
5	7	-	-	-	12	8,280	2.43	13,800	4.04	15,870	4.65	324	647	938
5	9	-	-	-	14	9,660	2.83	16,100	4.72	18,515	5.43	396	791	1,147
7	7	-	-	-	14	9,660	2.83	16,100	4.72	18,515	5.43	396	791	1,147
7	9	-	-	-	16	11,040	3.24	18,400	5.39	21,160	6.20	475	950	1,378
5	12	-	-	-	17	11,730	3.44	19,550	5.73	22,482	6.59	518	1,036	1,502
9	9	-	-	-	18	12,420	3.64	20,700	6.07	23,805	6.98	563	1,126	1,632
7	12	-	-	-	19	13,110	3.84	21,850	6.40	25,127	7.36	610	1,221	1,770
5	15	-	-	-	20	13,800	4.04	23,000	6.74	26,450	7.75	660	1,321	1,915
9	12	-	-	-	21	14,490	4.25	24,150	7.08	27,772	8.14	713	1,427	2,069
7	15	-	-	-	22	15,180	4.45	25,300	7.42	29,095	8.53	770	1,539	2,232
5	18	-	-	-	23	15,870	4.65	26,450	7.75	30,417	8.91	817	1,634	2,369
9	15	-	-	-	24	16,560	4.85	27,600	8.09	31,740	9.30	893	1,785	2,589
12	12	-	-	-	24	16,560	4.85	27,600	8.09	31,740	9.30	893	1,785	2,589
7	18	-	-	-	25	17,250	5.06	28,750	8.43	33,062	9.69	941	1,883	2,730
9	18	-	-	-	27	18,630	5.46	31,050	9.10	35,707	10.47	1,109	2,219	3,217
12	15	-	-	-	27	18,630	5.46	31,050	9.10	35,707	10.47	1,109	2,219	3,217
5	24	-	-	-	29	20,010	5.86	33,350	9.77	38,352	11.24	1,256	2,512	3,642
12	18	-	-	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,377	2,754	3,993
15	15	-	-	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,377	2,754	3,993
7	24	-	-	-	31	21,390	6.27	35,650	10.45	40,998	12.02	1,452	2,904	4,211
9	24	-	-	-	33	22,770	6.67	37,950	11.12	42,100	12.34	1,615	3,230	4,349
15	18	-	-	-	33	22,770	6.67	37,950	11.12	42,100	12.34	1,615	3,230	4,349
12	24	-	-	-	36	23,400	6.86	39,000	11.43	42,100	12.34	1,779	3,558	4,349
18	18	-	-	-	36	23,400	6.86	39,000	11.43	42,100	12.34	1,779	3,558	4,349
15	24	-	-	-	39	23,400	6.86	39,000	11.43	42,100	12.34	1,987	3,975	4,349
18	24	-	-	-	42	23,400	6.86	39,000	11.43	42,100	12.34	1,773	3,546	4,349
24	24	-	-	-	48	23,400	6.86	39,000	11.43	42,100	12.34	1,483	2,966	4,349
5	5	5	-	-	15	10,350	3.03	17,250	5.06	19,838	5.81	388	775	1,124
5	5	7	-	-	17	11,730	3.44	19,550	5.73	22,482	6.59	461	923	1,338
5	5	9	-	-	19	13,110	3.84	21,850	6.40	25,127	7.36	543	1,086	1,575
5	7	7	-	-	19	13,110	3.84	21,850	6.40	25,127	7.36	543	1,086	1,575
5	7	9	-	-	21	14,490	4.25	24,150	7.08	27,772	8.14	634	1,268	1,839
7	7	7	-	-	21	14,490	4.25	24,150	7.08	27,772	8.14	634	1,268	1,839
5	5	12	-	-	22	15,180	4.45	25,300	7.42	29,095	8.53	683	1,367	1,982
5	9	9	-	-	23	15,870	4.65	26,450	7.75	30,417	8.91	736	1,471	2,133
7	7	9	-	-	23	15,870	4.65	26,450	7.75	30,417	8.91	736	1,471	2,133
5	7	12	-	-	24	16,560	4.85	27,600	8.09	31,740	9.30	791	1,582	2,294
5	5	15	-	-	25	17,250	5.06	28,750	8.43	33,062	9.69	850	1,700	2,466
7	9	9	-	-	25	17,250	5.06	28,750	8.43	33,062	9.69	850	1,700	2,466
5	9	12	-	-	26	17,940	5.26	29,900	8.76	34,385	10.08	913	1,826	2,648
7	7	12	-	-	26	17,940	5.26	29,900	8.76	34,385	10.08	913	1,826	2,648
5	7	15	-	-	27	18,630	5.46	31,050	9.10	35,707	10.47	980	1,960	2,843
9	9	9	-	-	27	18,630	5.46	31,050	9.10	35,707	10.47	980	1,960	2,843
5	5	18	-	-	28	19,320	5.66	32,200	9.44	37,030	10.85	1,052	2,104	3,051
7	9	12	-	-	28	19,320	5.66	32,200	9.44	37,030	10.85	1,052	2,104	3,051
5	9	15	-	-	29	20,010	5.86	33,350	9.77	38,352	11.24	1,129	2,258	3,274
5	12	12	-	-	29	20,010	5.86	33,350	9.77	38,352	11.24	1,129	2,258	3,274
7	7	15	-	-	29	20,010	5.86	33,350	9.77	38,352	11.24	1,129	2,258	3,274
5	7	18	-	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,194	2,388	3,462

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
9	9	12	-	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,212	2,423	3,514
7	9	15	-	-	31	21,390	6.27	35,650	10.45	40,998	12.02	1,301	2,602	3,773
7	12	12	-	-	31	21,390	6.27	35,650	10.45	40,998	12.02	1,301	2,602	3,773
5	12	15	-	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,368	2,736	3,967
5	9	18	-	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,368	2,736	3,967
7	7	18	-	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,368	2,736	3,967
9	9	15	-	-	33	22,770	6.67	37,950	11.12	42,700	12.51	1,437	2,875	4,168
9	12	12	-	-	33	22,770	6.67	37,950	11.12	42,700	12.51	1,437	2,875	4,168
5	5	24	-	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,505	3,011	4,168
7	9	18	-	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,505	3,011	4,168
7	12	15	-	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,505	3,011	4,168
5	12	18	-	-	35	23,400	6.86	39,000	11.43	42,700	12.51	1,535	3,070	4,168
5	15	15	-	-	35	23,400	6.86	39,000	11.43	42,700	12.51	1,535	3,070	4,168
5	7	24	-	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,566	3,131	4,168
9	12	15	-	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,566	3,131	4,168
12	12	12	-	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,566	3,131	4,168
9	9	18	-	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,566	3,131	4,168
7	12	18	-	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,538	3,076	4,168
7	15	15	-	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,561	3,122	4,168
5	9	24	-	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,526	3,051	4,168
5	15	18	-	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,533	3,066	4,168
7	7	24	-	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,526	3,051	4,168
9	12	18	-	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,529	3,057	4,168
9	15	15	-	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,552	3,103	4,168
12	12	15	-	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,552	3,103	4,168
7	9	24	-	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,517	3,033	4,168
7	15	18	-	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,524	3,048	4,168
5	12	24	-	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,512	3,024	4,168
5	18	18	-	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,497	2,995	4,168
9	9	24	-	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,508	3,015	4,168
9	15	18	-	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,515	3,030	4,168
12	12	18	-	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,515	3,030	4,168
12	15	15	-	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,538	3,076	4,168
7	12	24	-	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,503	3,007	4,168
7	18	18	-	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,489	2,977	4,168
5	15	24	-	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,499	2,998	4,168
9	12	24	-	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,494	2,989	4,168
9	18	18	-	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,480	2,960	4,168
12	15	18	-	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,502	3,004	4,168
15	15	15	-	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,524	3,049	4,168
7	15	24	-	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,490	2,980	4,168
5	18	24	-	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,464	2,929	4,168
9	15	24	-	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,481	2,963	4,168
12	12	24	-	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,481	2,963	4,168
12	18	18	-	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,467	2,934	4,168
15	15	18	-	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,489	2,978	4,168
7	18	24	-	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,456	2,912	4,168
9	18	24	-	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,447	2,895	4,168
12	15	24	-	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,469	2,937	4,168
15	18	18	-	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,454	2,909	4,168
5	24	24	-	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,432	2,865	4,168

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
12	18	24	-	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,435	2,870	4,168
15	15	24	-	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,456	2,912	4,168
18	18	18	-	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,421	2,843	4,168
7	24	24	-	-	55	23,400	6.86	39,000	11.43	42,700	12.51	1,424	2,848	4,168
9	24	24	-	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,416	2,832	4,168
15	18	24	-	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,423	2,846	4,168
5	5	5	5	-	20	13,800	4.04	23,000	6.74	26,450	7.75	540	1,081	1,567
5	5	5	7	-	22	15,180	4.45	25,300	7.42	29,095	8.53	629	1,257	1,823
5	5	5	9	-	24	16,560	4.85	27,600	8.09	31,740	9.30	728	1,456	2,111
5	5	7	7	-	24	16,560	4.85	27,600	8.09	31,740	9.30	728	1,456	2,111
5	5	7	9	-	26	17,940	5.26	29,900	8.76	34,385	10.08	840	1,680	2,436
5	7	7	7	-	26	17,940	5.26	29,900	8.76	34,385	10.08	840	1,680	2,436
5	5	5	12	-	27	18,630	5.46	31,050	9.10	35,707	10.47	902	1,804	2,615
5	5	9	9	-	28	19,320	5.66	32,200	9.44	37,030	10.85	968	1,936	2,807
5	7	7	9	-	28	19,320	5.66	32,200	9.44	37,030	10.85	968	1,936	2,807
7	7	7	7	-	28	19,320	5.66	32,200	9.44	37,030	10.85	968	1,936	2,807
5	5	7	12	-	29	20,010	5.86	33,350	9.77	38,352	11.24	1,039	2,077	3,012
5	5	5	15	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,155	2,310	3,349
5	7	9	9	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,155	2,310	3,349
7	7	7	9	-	30	20,700	6.07	34,500	10.11	39,675	11.63	1,155	2,310	3,349
5	5	9	12	-	31	21,390	6.27	35,650	10.45	40,998	12.02	1,197	2,394	3,471
5	7	7	12	-	31	21,390	6.27	35,650	10.45	40,998	12.02	1,197	2,394	3,471
5	5	7	15	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,257	2,514	3,645
5	9	9	9	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,257	2,514	3,645
7	7	9	9	-	32	22,080	6.47	36,800	10.79	42,320	12.40	1,257	2,514	3,645
5	5	5	18	-	33	22,770	6.67	37,950	11.12	42,700	12.51	1,321	2,642	3,831
5	7	9	12	-	33	22,770	6.67	37,950	11.12	42,700	12.51	1,321	2,642	3,831
7	7	7	12	-	33	22,770	6.67	37,950	11.12	42,700	12.51	1,321	2,642	3,831
5	5	9	15	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,384	2,768	3,831
5	5	12	12	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,384	2,768	3,831
5	7	7	15	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,384	2,768	3,831
7	9	9	9	-	34	23,400	6.86	39,000	11.43	42,700	12.51	1,384	2,768	3,831
5	5	7	18	-	35	23,400	6.86	39,000	11.43	42,700	12.51	1,412	2,823	3,831
5	9	9	12	-	35	23,400	6.86	39,000	11.43	42,700	12.51	1,412	2,823	3,831
7	7	9	12	-	35	23,400	6.86	39,000	11.43	42,700	12.51	1,412	2,823	3,831
5	7	9	15	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,440	2,881	3,831
5	7	12	12	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,440	2,881	3,831
7	7	7	15	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,440	2,881	3,831
9	9	9	9	-	36	23,400	6.86	39,000	11.43	42,700	12.51	1,440	2,881	3,831
5	5	9	18	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,415	2,829	3,831
5	5	12	15	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,436	2,872	3,831
5	7	7	18	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,415	2,829	3,831
7	9	9	12	-	37	23,400	6.86	39,000	11.43	42,700	12.51	1,436	2,872	3,831
5	9	9	15	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,432	2,863	3,831
5	9	12	12	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,432	2,863	3,831
7	7	9	15	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,432	2,863	3,831
7	7	12	12	-	38	23,400	6.86	39,000	11.43	42,700	12.51	1,432	2,863	3,831
5	5	5	24	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,399	2,799	3,831
5	7	9	18	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,406	2,813	3,831
5	7	12	15	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,427	2,855	3,831
9	9	9	12	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,427	2,855	3,831

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	7	18	-	39	23,400	6.86	39,000	11.43	42,700	12.51	1,406	2,813	3,831
5	5	12	18	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,402	2,804	3,831
5	5	15	15	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,423	2,846	3,831
7	9	9	15	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,423	2,846	3,831
7	9	12	12	-	40	23,400	6.86	39,000	11.43	42,700	12.51	1,423	2,846	3,831
5	5	7	24	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,391	2,782	3,831
5	9	9	18	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,398	2,796	3,831
5	9	12	15	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,419	2,838	3,831
5	12	12	12	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,419	2,838	3,831
7	7	12	15	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,419	2,838	3,831
7	7	9	18	-	41	23,400	6.86	39,000	11.43	42,700	12.51	1,398	2,796	3,831
5	7	12	18	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,394	2,788	3,831
5	7	15	15	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,415	2,830	3,831
9	9	9	15	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,415	2,830	3,831
5	9	12	12	-	42	23,400	6.86	39,000	11.43	42,700	12.51	1,415	2,830	3,831
5	5	9	24	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,383	2,766	3,831
5	5	15	18	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,390	2,780	3,831
5	7	7	24	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,383	2,766	3,831
7	9	9	18	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,390	2,780	3,831
7	9	12	15	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,411	2,821	3,831
7	12	12	12	-	43	23,400	6.86	39,000	11.43	42,700	12.51	1,411	2,821	3,831
5	9	12	18	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,386	2,771	3,831
5	9	15	15	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,407	2,813	3,831
5	12	12	15	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,407	2,813	3,831
7	7	12	18	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,386	2,771	3,831
7	7	15	15	-	44	23,400	6.86	39,000	11.43	42,700	12.51	1,407	2,813	3,831
5	7	9	24	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,375	2,750	3,831
5	7	15	18	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,382	2,763	3,831
7	7	7	24	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,375	2,750	3,831
9	9	9	18	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,382	2,763	3,831
9	9	12	15	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,402	2,805	3,831
9	12	12	12	-	45	23,400	6.86	39,000	11.43	42,700	12.51	1,402	2,805	3,831
5	5	12	24	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,371	2,742	3,831
5	5	18	18	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,715	3,831
7	9	12	18	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,378	2,755	3,831
7	9	15	15	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,398	2,797	3,831
7	12	12	15	-	46	23,400	6.86	39,000	11.43	42,700	12.51	1,398	2,797	3,831
5	9	9	24	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,367	2,734	3,831
5	9	15	18	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,747	3,831
5	12	12	18	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,747	3,831
5	12	15	15	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,394	2,789	3,831
7	7	9	24	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,367	2,734	3,831
7	7	15	18	-	47	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,747	3,831
5	7	12	24	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,363	2,726	3,831
5	7	18	18	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,350	2,699	3,831
9	9	12	18	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,739	3,831
9	9	15	15	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,390	2,780	3,831
9	12	12	15	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,390	2,780	3,831
12	12	12	12	-	48	23,400	6.86	39,000	11.43	42,700	12.51	1,390	2,780	3,831
5	5	15	24	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,359	2,718	3,831
7	9	9	24	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,359	2,718	3,831

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	9	15	18	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,731	3,831
7	12	12	18	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,731	3,831
7	12	15	15	-	49	23,400	6.86	39,000	11.43	42,700	12.51	1,386	2,772	3,831
5	9	12	24	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,355	2,710	3,831
5	9	18	18	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,684	3,831
5	12	15	18	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,831
5	15	15	15	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,382	2,764	3,831
7	7	12	24	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,355	2,710	3,831
7	7	18	18	-	50	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,684	3,831
5	7	15	24	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,351	2,702	3,831
9	9	9	24	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,351	2,702	3,831
9	9	15	18	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,716	3,831
9	12	12	18	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,716	3,831
9	12	15	15	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,378	2,757	3,831
12	12	12	15	-	51	23,400	6.86	39,000	11.43	42,700	12.51	1,378	2,757	3,831
5	5	18	24	-	52	23,400	6.86	39,000	11.43	42,700	12.51	1,328	2,656	3,831
7	9	12	24	-	52	23,400	6.86	39,000	11.43	42,700	12.51	1,347	2,695	3,831
7	9	18	18	-	52	23,400	6.86	39,000	11.43	42,700	12.51	1,334	2,669	3,831
7	12	15	18	-	52	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,831
7	15	15	15	-	52	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,749	3,831
5	9	15	24	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,344	2,687	3,831
5	12	12	24	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,344	2,687	3,831
5	12	18	18	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,330	2,661	3,831
5	15	15	18	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,350	2,700	3,831
7	7	15	24	-	53	23,400	6.86	39,000	11.43	42,700	12.51	1,344	2,687	3,831
5	7	18	24	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,320	2,641	3,831
9	9	12	24	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,340	2,679	3,831
9	9	18	18	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,327	2,653	3,831
9	12	15	18	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,831
9	15	15	15	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,733	3,831
12	12	12	18	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,831
12	12	15	15	-	54	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,733	3,831
7	9	15	24	-	55	23,400	6.86	39,000	11.43	42,700	12.51	1,336	2,672	3,831
7	12	12	24	-	55	23,400	6.86	39,000	11.43	42,700	12.51	1,336	2,672	3,831
7	12	18	18	-	55	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,831
7	15	15	18	-	55	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,831
5	9	18	24	-	56	23,400	6.86	39,000	11.43	42,700	12.51	1,313	2,626	3,831
5	12	15	24	-	56	23,400	6.86	39,000	11.43	42,700	12.51	1,332	2,664	3,831
5	15	18	18	-	56	23,400	6.86	39,000	11.43	42,700	12.51	1,319	2,638	3,831
7	7	18	24	-	56	23,400	6.86	39,000	11.43	42,700	12.51	1,313	2,626	3,831
9	9	15	24	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,328	2,657	3,831
9	12	12	24	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,328	2,657	3,831
9	12	18	18	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,315	2,631	3,831
9	15	15	18	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,670	3,831
12	12	15	18	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,670	3,831
12	15	15	15	-	57	23,400	6.86	39,000	11.43	42,700	12.51	1,355	2,710	3,831
5	5	5	5	5	25	17,250	5.06	28,750	8.43	33,062	9.69	751	1,502	2,178
5	5	5	5	7	27	18,630	5.46	31,050	9.10	35,707	10.47	866	1,731	2,511
5	5	5	5	9	29	20,010	5.86	33,350	9.77	38,352	11.24	997	1,994	2,892
5	5	5	7	7	29	20,010	5.86	33,350	9.77	38,352	11.24	997	1,994	2,892
5	5	5	7	9	31	21,390	6.27	35,650	10.45	40,998	12.02	1,149	2,298	3,332

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	7	7	7	31	21,390	6.27	35,650	10.45	40,998	12.02	1,167	2,333	3,500
5	5	5	5	12	32	22,080	6.47	36,800	10.79	42,320	12.40	1,223	2,446	3,669
5	5	5	9	9	33	22,770	6.67	37,950	11.12	42,700	12.51	1,281	2,563	3,844
5	5	7	7	9	33	22,770	6.67	37,950	11.12	42,700	12.51	1,281	2,563	3,844
5	7	7	7	7	33	22,770	6.67	37,950	11.12	42,700	12.51	1,281	2,563	3,844
5	5	5	7	12	34	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,676	3,844
5	5	5	5	15	35	23,400	6.86	39,000	11.43	42,700	12.51	1,360	2,720	3,844
5	5	7	9	9	35	23,400	6.86	39,000	11.43	42,700	12.51	1,360	2,720	3,844
5	7	7	7	9	35	23,400	6.86	39,000	11.43	42,700	12.51	1,360	2,720	3,844
7	7	7	7	7	35	23,400	6.86	39,000	11.43	42,700	12.51	1,360	2,720	3,844
5	5	5	9	12	36	23,400	6.86	39,000	11.43	42,700	12.51	1,383	2,765	3,844
5	5	7	7	12	36	23,400	6.86	39,000	11.43	42,700	12.51	1,383	2,765	3,844
5	5	5	7	15	37	23,400	6.86	39,000	11.43	42,700	12.51	1,379	2,757	3,844
5	5	9	9	9	37	23,400	6.86	39,000	11.43	42,700	12.51	1,379	2,757	3,844
5	7	7	9	9	37	23,400	6.86	39,000	11.43	42,700	12.51	1,379	2,757	3,844
7	7	7	7	9	37	23,400	6.86	39,000	11.43	42,700	12.51	1,379	2,757	3,844
5	5	5	5	18	38	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
5	5	7	9	12	38	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,749	3,844
5	7	7	7	12	38	23,400	6.86	39,000	11.43	42,700	12.51	1,374	2,749	3,844
5	5	5	9	15	39	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,741	3,844
5	5	5	12	12	39	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,741	3,844
5	5	7	7	15	39	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,741	3,844
5	7	9	9	9	39	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,741	3,844
7	7	7	9	9	39	23,400	6.86	39,000	11.43	42,700	12.51	1,370	2,741	3,844
5	5	5	7	18	40	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,692	3,844
5	5	9	9	12	40	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,733	3,844
5	7	7	9	12	40	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,733	3,844
7	7	7	7	12	40	23,400	6.86	39,000	11.43	42,700	12.51	1,366	2,733	3,844
5	5	7	9	15	41	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,844
5	5	7	12	12	41	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,844
5	7	7	7	15	41	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,844
5	9	9	9	9	41	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,844
7	7	9	9	9	41	23,400	6.86	39,000	11.43	42,700	12.51	1,362	2,724	3,844
5	5	5	9	18	42	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,676	3,844
5	5	5	12	15	42	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,716	3,844
5	5	7	7	18	42	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,676	3,844
5	7	9	9	12	42	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,716	3,844
7	7	7	9	12	42	23,400	6.86	39,000	11.43	42,700	12.51	1,358	2,716	3,844
5	5	9	12	12	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
5	5	9	9	15	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
5	7	7	9	15	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
5	7	7	12	12	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
7	7	7	7	15	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
7	9	9	9	9	43	23,400	6.86	39,000	11.43	42,700	12.51	1,354	2,708	3,844
5	5	5	5	24	44	23,400	6.86	39,000	11.43	42,700	12.51	1,324	2,648	3,844
5	5	7	9	18	44	23,400	6.86	39,000	11.43	42,700	12.51	1,330	2,661	3,844
5	5	7	12	15	44	23,400	6.86	39,000	11.43	42,700	12.51	1,350	2,701	3,844
5	7	7	7	18	44	23,400	6.86	39,000	11.43	42,700	12.51	1,330	2,661	3,844
5	9	9	9	12	44	23,400	6.86	39,000	11.43	42,700	12.51	1,350	2,701	3,844
7	7	9	9	12	44	23,400	6.86	39,000	11.43	42,700	12.51	1,350	2,701	3,844
5	5	5	12	18	45	23,400	6.86	39,000	11.43	42,700	12.51	1,326	2,653	3,844

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
5	5	5	15	15	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
5	7	9	9	15	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
5	7	9	12	12	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
7	7	7	9	15	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
7	7	7	12	12	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
9	9	9	9	9	45	23,400	6.86	39,000	11.43	42,700	12.51	1,346	2,693	3,844
5	5	9	12	15	46	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,844
5	5	9	12	15	46	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,844
5	5	5	7	24	46	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,632	3,844
5	5	9	9	18	46	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,645	3,844
5	5	12	12	12	46	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,844
5	7	7	9	18	46	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,645	3,844
5	7	7	12	15	46	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,844
7	7	7	7	18	46	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,645	3,844
7	9	9	9	12	46	23,400	6.86	39,000	11.43	42,700	12.51	1,342	2,685	3,844
5	5	7	12	18	47	23,400	6.86	39,000	11.43	42,700	12.51	1,319	2,637	3,844
5	5	7	15	15	47	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,677	3,844
5	9	9	9	15	47	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,677	3,844
9	9	9	12	12	47	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,677	3,844
7	7	9	9	15	47	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,677	3,844
7	7	9	12	12	47	23,400	6.86	39,000	11.43	42,700	12.51	1,338	2,677	3,844
5	5	5	9	24	48	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,617	3,844
5	5	5	15	18	48	23,400	6.86	39,000	11.43	42,700	12.51	1,315	2,630	3,844
5	5	7	7	24	48	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,617	3,844
5	7	9	9	18	48	23,400	6.86	39,000	11.43	42,700	12.51	1,315	2,630	3,844
5	7	9	12	15	48	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,669	3,844
5	7	12	12	12	48	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,669	3,844
7	7	7	9	18	48	23,400	6.86	39,000	11.43	42,700	12.51	1,315	2,630	3,844
7	7	7	12	15	48	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,669	3,844
9	9	9	9	12	48	23,400	6.86	39,000	11.43	42,700	12.51	1,335	2,669	3,844
5	5	9	12	18	49	23,400	6.86	39,000	11.43	42,700	12.51	1,311	2,622	3,844
5	5	9	15	15	49	23,400	6.86	39,000	11.43	42,700	12.51	1,331	2,662	3,844
5	5	12	12	15	49	23,400	6.86	39,000	11.43	42,700	12.51	1,331	2,662	3,844
5	7	7	12	18	49	23,400	6.86	39,000	11.43	42,700	12.51	1,311	2,622	3,844
5	7	7	15	15	49	23,400	6.86	39,000	11.43	42,700	12.51	1,331	2,662	3,844
7	9	9	9	15	49	23,400	6.86	39,000	11.43	42,700	12.51	1,331	2,662	3,844
7	9	9	12	12	49	23,400	6.86	39,000	11.43	42,700	12.51	1,331	2,662	3,844
5	5	7	9	24	50	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,602	3,844
5	5	7	15	18	50	23,400	6.86	39,000	11.43	42,700	12.51	1,307	2,615	3,844
5	7	7	7	24	50	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,602	3,844
5	9	9	9	18	50	23,400	6.86	39,000	11.43	42,700	12.51	1,307	2,615	3,844
5	9	9	12	15	50	23,400	6.86	39,000	11.43	42,700	12.51	1,327	2,654	3,844
5	9	12	12	12	50	23,400	6.86	39,000	11.43	42,700	12.51	1,327	2,654	3,844
7	7	9	9	18	50	23,400	6.86	39,000	11.43	42,700	12.51	1,307	2,615	3,844
7	7	9	12	15	50	23,400	6.86	39,000	11.43	42,700	12.51	1,327	2,654	3,844
7	7	12	12	12	50	23,400	6.86	39,000	11.43	42,700	12.51	1,327	2,654	3,844
5	5	5	12	24	51	23,400	6.86	39,000	11.43	42,700	12.51	1,297	2,594	3,844
5	5	5	18	18	51	23,400	6.86	39,000	11.43	42,700	12.51	1,285	2,569	3,844
5	7	9	12	18	51	23,400	6.86	39,000	11.43	42,700	12.51	1,304	2,607	3,844
5	7	9	15	15	51	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,844
5	7	12	15	15	51	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,844

9. Combination Table

Indoor Unit Operating (Capacity index, kBTu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	7	12	18	51	23,400	6.86	39,000	11.43	42,700	12.51	1,304	2,607	3,844
7	7	7	15	15	51	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,844
9	9	9	9	15	51	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,844
9	9	9	12	12	51	23,400	6.86	39,000	11.43	42,700	12.51	1,323	2,646	3,844
5	5	9	9	24	52	23,400	6.86	39,000	11.43	42,700	12.51	1,293	2,587	3,844
5	5	9	15	18	52	23,400	6.86	39,000	11.43	42,700	12.51	1,300	2,600	3,844
5	5	12	12	18	52	23,400	6.86	39,000	11.43	42,700	12.51	1,300	2,600	3,844
5	5	12	15	15	52	23,400	6.86	39,000	11.43	42,700	12.51	1,319	2,639	3,844
5	7	7	9	24	52	23,400	6.86	39,000	11.43	42,700	12.51	1,293	2,587	3,844
5	7	7	15	18	52	23,400	6.86	39,000	11.43	42,700	12.51	1,300	2,600	3,844
7	7	7	7	24	52	23,400	6.86	39,000	11.43	42,700	12.51	1,293	2,587	3,844
7	9	9	9	18	52	23,400	6.86	39,000	11.43	42,700	12.51	1,300	2,600	3,844
7	9	9	12	15	52	23,400	6.86	39,000	11.43	42,700	12.51	1,319	2,639	3,844
7	9	12	12	12	52	23,400	6.86	39,000	11.43	42,700	12.51	1,319	2,639	3,844
5	5	7	12	24	53	23,400	6.86	39,000	11.43	42,700	12.51	1,290	2,580	3,844
5	5	7	18	18	53	23,400	6.86	39,000	11.43	42,700	12.51	1,277	2,555	3,844
5	9	9	12	18	53	23,400	6.86	39,000	11.43	42,700	12.51	1,296	2,592	3,844
5	9	9	15	15	53	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,631	3,844
5	9	12	12	15	53	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,631	3,844
5	12	12	12	12	53	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,631	3,844
7	7	9	12	18	53	23,400	6.86	39,000	11.43	42,700	12.51	1,296	2,592	3,844
7	7	9	15	15	53	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,631	3,844
7	7	12	12	15	53	23,400	6.86	39,000	11.43	42,700	12.51	1,316	2,631	3,844
5	5	5	15	24	54	23,400	6.86	39,000	11.43	42,700	12.51	1,286	2,572	3,844
5	7	9	9	24	54	23,400	6.86	39,000	11.43	42,700	12.51	1,286	2,572	3,844
5	7	9	15	18	54	23,400	6.86	39,000	11.43	42,700	12.51	1,292	2,585	3,844
5	7	12	12	18	54	23,400	6.86	39,000	11.43	42,700	12.51	1,292	2,585	3,844
5	7	12	15	15	54	23,400	6.86	39,000	11.43	42,700	12.51	1,312	2,624	3,844
7	7	7	9	24	54	23,400	6.86	39,000	11.43	42,700	12.51	1,286	2,572	3,844
7	7	7	15	18	54	23,400	6.86	39,000	11.43	42,700	12.51	1,292	2,585	3,844
9	9	9	9	18	54	23,400	6.86	39,000	11.43	42,700	12.51	1,292	2,585	3,844
9	9	9	12	15	54	23,400	6.86	39,000	11.43	42,700	12.51	1,312	2,624	3,844
9	9	12	12	12	54	23,400	6.86	39,000	11.43	42,700	12.51	1,312	2,624	3,844
5	5	9	12	24	55	23,400	6.86	39,000	11.43	42,700	12.51	1,282	2,565	3,844
5	5	9	18	18	55	23,400	6.86	39,000	11.43	42,700	12.51	1,270	2,540	3,844
5	5	12	15	18	55	23,400	6.86	39,000	11.43	42,700	12.51	1,289	2,578	3,844
5	5	15	15	15	55	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,616	3,844
5	7	7	12	24	55	23,400	6.86	39,000	11.43	42,700	12.51	1,282	2,565	3,844
5	7	7	18	18	55	23,400	6.86	39,000	11.43	42,700	12.51	1,270	2,540	3,844
7	9	9	12	18	55	23,400	6.86	39,000	11.43	42,700	12.51	1,289	2,578	3,844
7	9	9	15	15	55	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,616	3,844
7	9	12	12	15	55	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,616	3,844
7	12	12	12	12	55	23,400	6.86	39,000	11.43	42,700	12.51	1,308	2,616	3,844
5	5	7	15	24	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
5	9	9	9	24	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
5	9	9	15	18	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
5	9	12	12	18	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
5	9	12	15	15	56	23,400	6.86	39,000	11.43	42,700	12.51	1,304	2,609	3,844
5	12	12	12	15	56	23,400	6.86	39,000	11.43	42,700	12.51	1,304	2,609	3,844
7	7	9	9	24	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
7	7	9	15	18	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844

9. Combination Table

Indoor Unit Operating (Capacity index, kBtu/h)						Total Capacity						Input (W)		
						Min		Rated		Max				
Unit-A	Unit-B	Unit-C	Unit-D	Unit-E	Total	Btu/h	kW	Btu/h	kW	Btu/h	kW	Min	Rated	Max
7	7	12	12	18	56	23,400	6.86	39,000	11.43	42,700	12.51	1,279	2,558	3,844
5	5	5	18	24	57	23,400	6.86	39,000	11.43	42,700	12.51	1,257	2,513	3,844
5	7	9	12	24	57	23,400	6.86	39,000	11.43	42,700	12.51	1,275	2,550	3,844
5	7	9	18	18	57	23,400	6.86	39,000	11.43	42,700	12.51	1,263	2,526	3,844
5	7	12	15	18	57	23,400	6.86	39,000	11.43	42,700	12.51	1,281	2,563	3,844
5	7	15	15	15	57	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,601	3,844
7	7	7	12	24	57	23,400	6.86	39,000	11.43	42,700	12.51	1,275	2,550	3,844
7	7	7	18	18	57	23,400	6.86	39,000	11.43	42,700	12.51	1,263	2,526	3,844
9	9	9	12	18	57	23,400	6.86	39,000	11.43	42,700	12.51	1,281	2,563	3,844
9	9	9	15	15	57	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,601	3,844
9	9	12	12	15	57	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,601	3,844
9	12	12	12	12	57	23,400	6.86	39,000	11.43	42,700	12.51	1,301	2,601	3,844

Note

- Capacities are based on the following conditions :
 - Cooling : Indoor Ambient Temp. 27°CDB / 19°CWB, Outdoor Ambient Temp. 35°CDB / 24°CWB
 - Heating : Indoor Ambient Temp. 20°CDB / 15°CWB, Outdoor Ambient Temp. 7°CDB / 6°CWB
 - Interconnected piping is standard length and difference of Elevation (Outdoor ~ Indoor Unit) is 0 m.
- At least two indoor units should be connected. And minimum limit of combination ratio is 40% approximately for rated capacity of outdoor unit.
- Don't exceed the maximum connectable indoor units number, it can be found in Specifications or combination table of outdoor unit model.